

Docket No. 58544.1500  
Customer No.: 30734



Patent

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:	)	
	)	
Hiroshi KOH	)	Group Art Unit: 2857
	)	
Application No.: 10/525,227	)	Examiner: Manuel Barbee
	)	
Filed: February 22, 2005	)	Confirmation No.: 7187

For: HARMONIC DIAGNOSING METHOD FOR ELECTRIC FACILITY

**AMENDMENT UNDER 37 C.F.R. §1.111**

**Mail Stop Amendment**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

This is in response to the Office Action mailed April 26, 2006, to which a response is due with a two-month extension by September 26, 2006. In view of the following amendments and remarks, Applicant respectfully requests the Examiner to reconsider and withdraw the outstanding rejections and allow all claims pending in the application. Please charge any deficiencies and credit any over payment to Deposit Account No. 50-2036.

Please amend the above-identified patent application as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Amendments to the Drawings** begin on page 4 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 5 of this paper.

**Remarks/Arguments** begin on page 7 of this paper.